



This report cannot be used for ODA, OHA or OLCC compliance requirements.

Product identity: CBDC-05 Social Caps Boost
Laboratory ID: 19-009791-0005
Client/Metric ID: .
Sample Date: 08/15/19 13:00

Summary

Potency:

Analyte	Result	Limits	Units	LOQ	
CBD	6.41		%	0.03	CBD-Total per 0.71g 45.5 mg/0.71g
CBDV†	0.0122		%	0.00	
Analyte per 0.71g	Result	Limits	Units	LOQ	
CBD per 0.71g	45.5		mg/0.71g	0.02	THC-Total per 0.71g < LOQ
CBDV per 0.71g†	0.0866		mg/0.71g	0.02	(Reported in milligrams per serving)

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

All analytes passing and less than LOQ.

Microbiology:

Analyte	Result	Limits
Aerobic Plate Count	2,600	



This report cannot be used for ODA, OHA or OLCC compliance requirements.

Customer: Sentia Wellness
3931 NE Columbia Blvd
Portland Oregon 97211
United States

Product identity: CBDC-05 Social Caps Boost

Client/Metric ID: .

Sample Date: 08/15/19 13:00

Laboratory ID: 19-009791-0005

Relinquished by: Ira Rubio

Temp: 26 °C

Serving Size #1: 0.71 g

Sample Results

Potency		Batch: 1907581					
Analyte	Result	Limits	Units	LOQ	Analyze	Method	Notes
CBC [†]	< LOQ		%	0.0032	08/19/19	J AOAC 2015 V98-6	
CBC-A [†]	< LOQ		%	0.0032	08/19/19	J AOAC 2015 V98-6	
CBC-Total [†]	< LOQ		%	0.0060	08/22/19	J AOAC 2015 V98-6	
CBD	6.41		%	0.0320	08/20/19	J AOAC 2015 V98-6	
CBD-A	< LOQ		%	0.0032	08/19/19	J AOAC 2015 V98-6	
CBD-Total	6.41		%	0.0348	08/22/19	J AOAC 2015 V98-6	
CBDV [†]	0.0122		%	0.0032	08/19/19	J AOAC 2015 V98-6	
CBDV-A [†]	< LOQ		%	0.0032	08/19/19	J AOAC 2015 V98-6	
CBDV-Total [†]	0.0122		%	0.0060	08/22/19	J AOAC 2015 V98-6	
CBG [†]	< LOQ		%	0.0032	08/19/19	J AOAC 2015 V98-6	
CBG-A [†]	< LOQ		%	0.0032	08/19/19	J AOAC 2015 V98-6	
CBG-Total [†]	< LOQ		%	0.0060	08/22/19	J AOAC 2015 V98-6	
CBL [†]	< LOQ		%	0.0032	08/19/19	J AOAC 2015 V98-6	
CBN	< LOQ		%	0.0032	08/19/19	J AOAC 2015 V98-6	
Δ8-THC [†]	< LOQ		%	0.0032	08/19/19	J AOAC 2015 V98-6	
Δ9-THC	< LOQ		%	0.0032	08/19/19	J AOAC 2015 V98-6	
THC-A	< LOQ		%	0.0032	08/19/19	J AOAC 2015 V98-6	
THC-Total	< LOQ		%	0.0060	08/22/19	J AOAC 2015 V98-6	
THCV [†]	< LOQ		%	0.0032	08/19/19	J AOAC 2015 V98-6	
THCV-A [†]	< LOQ		%	0.0032	08/19/19	J AOAC 2015 V98-6	
THCV-Total [†]	< LOQ		%	0.0060	08/22/19	J AOAC 2015 V98-6	

Potency per 0.71g		Batch: 1907581					
Analyte	Result	Limits	Units	LOQ	Analyze	Method	Notes
CBC per 0.71g [†]	< LOQ		mg/0.71g	0.0237	08/22/19	J AOAC 2015 V98-6	
CBC-A per 0.71g [†]	< LOQ		mg/0.71g	0.0237	08/22/19	J AOAC 2015 V98-6	
CBC-Total per 0.71g [†]	< LOQ		mg/0.71g	0.0444	08/22/19	J AOAC 2015 V98-6	



This report cannot be used for ODA, OHA or OLCC compliance requirements.

Potency per 0.71g				Batch: 1907581			
Analyte	Result	Limits	Units	LOQ	Analyze	Method	Notes
CBD per 0.71g	45.5		mg/0.71g	0.0237	08/22/19	J AOAC 2015 V98-6	
CBD-A per 0.71g	< LOQ		mg/0.71g	0.0237	08/22/19	J AOAC 2015 V98-6	
CBD-Total per 0.71g	45.5		mg/0.71g	0.0444	08/22/19	J AOAC 2015 V98-6	
CBDV per 0.71g [†]	0.0866		mg/0.71g	0.0237	08/22/19	J AOAC 2015 V98-6	
CBDV-A per 0.71g [†]	< LOQ		mg/0.71g	0.0237	08/22/19	J AOAC 2015 V98-6	
CBDV-Total per 0.71g [†]	0.0866		mg/0.71g	0.0442	08/22/19	J AOAC 2015 V98-6	
CBG per 0.71g [†]	< LOQ		mg/0.71g	0.0237	08/22/19	J AOAC 2015 V98-6	
CBG-A per 0.71g [†]	< LOQ		mg/0.71g	0.0237	08/22/19	J AOAC 2015 V98-6	
CBG-Total per 0.71g [†]	< LOQ		mg/0.71g	0.0444	08/22/19	J AOAC 2015 V98-6	
CBL per 0.71g [†]	< LOQ		mg/0.71g	0.0237	08/22/19	J AOAC 2015 V98-6	
CBN per 0.71g	< LOQ		mg/0.71g	0.0237	08/22/19	J AOAC 2015 V98-6	
Δ8-THC per 0.71g [†]	< LOQ		mg/0.71g	0.0237	08/22/19	J AOAC 2015 V98-6	
Δ9-THC per 0.71g	< LOQ		mg/0.71g	0.0237	08/22/19	J AOAC 2015 V98-6	
THC-A per 0.71g	< LOQ		mg/0.71g	0.0237	08/22/19	J AOAC 2015 V98-6	
THC-Total per 0.71g	< LOQ		mg/0.71g	0.0444	08/22/19	J AOAC 2015 V98-6	
THCV per 0.71g [†]	< LOQ		mg/0.71g	0.0237	08/22/19	J AOAC 2015 V98-6	
THCV-A per 0.71g [†]	< LOQ		mg/0.71g	0.0237	08/22/19	J AOAC 2015 V98-6	
THCV-Total per 0.71g [†]	< LOQ		mg/0.71g	0.0442	08/22/19	J AOAC 2015 V98-6	

Microbiology								
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Notes
Aerobic Plate Count	2,600		cfu/g	10	1907416	08/18/19	AOAC 990.12 (Petrifilm)	E1
E.coli	< LOQ		cfu/g	10	1907408	08/18/19	AOAC 991.14 (Petrifilm)	X
Total Coliforms	< LOQ		cfu/g	10	1907408	08/18/19	AOAC 991.14 (Petrifilm)	X
Mold	< LOQ		cfu/g	10	1907414	08/18/19	AOAC 2014.05 (RAPID)	X
Yeast	< LOQ		cfu/g	10	1907414	08/18/19	AOAC 2014.05 (RAPID)	X
Salmonella spp.	Negative		/10g		1907380	08/17/19	AOAC 2016.01	X



This report cannot be used for ODA, OHA or OLCC compliance requirements.

Solvents						Method EPA5021A	Units µg/g	Batch 1907450	Analyze 08/19/19 05:29 PM				
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes		
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass			
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane	< LOQ		200				
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass			
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane	< LOQ		200				
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0				
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass			
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	0.000	5000	400	pass			
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass			
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass			
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	30.0	pass			
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass			
Isopropylbenzene	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200				
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	200	pass			
Methylpropane	< LOQ		200			n-Butane	< LOQ		200				
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0				
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200				
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass			
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass			
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl	< LOQ	2170	600	pass			



This report cannot be used for ODA, OHA or OLCC compliance requirements.

Pesticides						Method AOAC 2007.01 & EN 15662 (mod)		Units mg/kg		Batch 1907483		Analyze 08/20/19 11:48 AM			
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes				
Abamectin	< LOQ	0.50	0.250	pass		Acephate	< LOQ	0.40	0.250	pass					
Acequinocyl	< LOQ	2.0	1.00	pass		Acetamiprid	< LOQ	0.20	0.100	pass					
Aldicarb	< LOQ	0.40	0.200	pass		Azoxystrobin	< LOQ	0.20	0.100	pass					
Bifenazate	< LOQ	0.20	0.100	pass		Bifenthrin	< LOQ	0.20	0.100	pass					
Boscalid	< LOQ	0.40	0.100	pass		Carbaryl	< LOQ	0.20	0.100	pass					
Carbofuran	< LOQ	0.20	0.100	pass		Chlorantraniliprole	< LOQ	0.20	0.100	pass					
Chlorfenapyr	< LOQ	1.0	0.500	pass		Chlorpyrifos	< LOQ	0.20	0.100	pass					
Clofentezine	< LOQ	0.20	0.100	pass		Cyfluthrin (incl.	< LOQ	1.0	0.500	pass					
Cypermethrin	< LOQ	1.0	0.500	pass		Daminozide	< LOQ	1.0	0.500	pass					
Diazinon	< LOQ	0.20	0.100	pass		Dichlorvos	< LOQ	1.0	0.500	pass					
Dimethoate	< LOQ	0.20	0.100	pass		Ethoprophos	< LOQ	0.20	0.100	pass					
Etofenprox	< LOQ	0.40	0.200	pass		Etoxazole	< LOQ	0.20	0.100	pass					
Fenoxycarb	< LOQ	0.20	0.100	pass		Fenpyroximate	< LOQ	0.40	0.200	pass					
Fipronil	< LOQ	0.40	0.200	pass		Flonicamid	< LOQ	1.0	0.400	pass					
Fludioxonil	< LOQ	0.40	0.200	pass		Hexythiazox	< LOQ	1.0	0.400	pass					
Imazalil	< LOQ	0.20	0.100	pass		Imidacloprid	< LOQ	0.40	0.200	pass					
Kresoxim-methyl	< LOQ	0.40	0.200	pass		Malathion	< LOQ	0.20	0.100	pass					
Metalaxyl	< LOQ	0.20	0.100	pass		Methiocarb	< LOQ	0.20	0.100	pass					
Methomyl	< LOQ	0.40	0.200	pass		MGK-264	< LOQ	0.20	0.100	pass					
Myclobutanil	< LOQ	0.20	0.100	pass		Naled	< LOQ	0.50	0.250	pass					
Oxamyl	< LOQ	1.0	0.500	pass		Paclobutrazole	< LOQ	0.40	0.200	pass					
Parathion-Methyl	< LOQ	0.20	0.200	pass		Permethrin	< LOQ	0.20	0.100	pass					
Phosmet	< LOQ	0.20	0.100	pass		Piperonyl butoxide	< LOQ	2.0	1.00	pass					
Prallethrin	< LOQ	0.20	0.100	pass		Propiconazole	< LOQ	0.40	0.200	pass					
Propoxur	< LOQ	0.20	0.100	pass		Pyrethrin I (total)	< LOQ	1.0	0.500	pass					
Pyridaben	< LOQ	0.20	0.100	pass		Spinosad	< LOQ	0.20	0.100	pass					
Spiromesifen	< LOQ	0.20	0.100	pass		Spirotetramat	< LOQ	0.20	0.100	pass					
Spiroxamine	< LOQ	0.40	0.200	pass		Tebuconazole	< LOQ	0.40	0.200	pass					
Thiacloprid	< LOQ	0.20	0.100	pass		Thiamethoxam	< LOQ	0.20	0.100	pass					
Trifloxystrobin	< LOQ	0.20	0.100	pass											



This report cannot be used for ODA, OHA or OLCC compliance requirements.

Mycotoxins								
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Notes
Aflatoxin B1 [†]	< LOQ		µg/kg	5.00	1907480	08/20/19	AOAC 2007.01 & EN 15662	
Aflatoxin B2 [†]	< LOQ		µg/kg	5.00	1907480	08/20/19	AOAC 2007.01 & EN 15662	
Aflatoxin G1 [†]	< LOQ		µg/kg	5.00	1907480	08/20/19	AOAC 2007.01 & EN 15662	
Aflatoxin G2 [†]	< LOQ		µg/kg	5.00	1907480	08/20/19	AOAC 2007.01 & EN 15662	
Deoxynivalenol [†]	< LOQ		µg/kg	200	1907480	08/20/19	AOAC 2007.01 & EN 15662	
Fumonisin B1 [†]	< LOQ		µg/kg	200	1907480	08/20/19	AOAC 2007.01 & EN 15662	
Fumonisin B2 [†]	< LOQ		µg/kg	400	1907480	08/20/19	AOAC 2007.01 & EN 15662	
HT2-Toxin [†]	< LOQ		µg/kg	40.0	1907480	08/20/19	AOAC 2007.01 & EN 15662	
Nivalenol [†]	< LOQ		µg/kg	400	1907480	08/20/19	AOAC 2007.01 & EN 15662	
Ochratoxin A [†]	< LOQ		µg/kg	5.00	1907480	08/20/19	AOAC 2007.01 & EN 15662	
Ochratoxin B [†]	< LOQ		µg/kg	2.00	1907480	08/20/19	AOAC 2007.01 & EN 15662	
T2-Toxin [†]	< LOQ		µg/kg	20.0	1907480	08/20/19	AOAC 2007.01 & EN 15662	
Zearalenone [†]	< LOQ		µg/kg	200	1907480	08/20/19	AOAC 2007.01 & EN 15662	



This report cannot be used for ODA, OHA or OLCC compliance requirements.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

Units of Measure

cfu/g = Colony forming units per gram

g = Gram

µg/g = Microgram per gram

µg/kg = Micrograms per kilogram = parts per billion (ppb)

mg/kg = Milligram per kilogram = parts per million (ppm)

mg/0.71g = Milligram per 0.71g

/10g = Per 10 grams

% = Percentage of sample

% wt = µg/g divided by 10,000

Glossary of Qualifiers

E1: Estimated Value.

X: Not ORELAP accredited.

Approved Signatory

Derrick Tanner
General Manager